



FEBRUARY 2021

NEW GRUVMASTER 1" TO 12" COMBO ROLL GROOVERS



GRUVMASTER G-1X HEAVY DUTY COMBO ROLL GROOVER 1"-12"

The only TRUE Portable Schedule 40 Groover for up to 8" pipe.

- Easily swap out shafts in 30 seconds
- Chucks into Ridgid® 300 for Power Grooving or Manually Roll Groove in the air or with a pipe vise.
- Capacity: 1" to 12" Pipe
- 1" to 8" schedule 10/40 pipe
- 8" to 12" schedule 10 pipe
- Heavy Duty Ductile Iron Construction
- Weight: 47 lbs.



1" Diameter x 8" Long Drive Shaft Extension disperses stress on the roll groover

Item # 3309130:
GruvMaster G-1 X
Heavy Duty
Combo Roll Groover



GRUVMASTER G-2X STANDARD DUTY COMBO ROLL GROOVER 1" to 12"


The only Combo Roll Groovers that can groove 1" to 12" pipe.

- The most durable lightweight groover on the market
- Easily swap out shafts in 30 seconds
- Chucks into Ridgid® 300 for Power Grooving or Manually Roll Groove in the air or with a pipe vise.
- 1" - 6" schedule 10 and 40 pipe
- Use 2"-6" optional shaft for better performance on schedule 40 pipe
- Operate at slower speeds when grooving sch 40 pipe
- Optional 8" - 12" roller and shaft for schedule 10 pipe
- Weight: 27 lbs.

Item # 3309120:
GruvMaster G-2 X
Standard Duty
Combo Roll Groover

RIDGID® is a registered trademark of RIDGID®, Inc.

NEW HOLEMASTER HOLE DRILLING TOOL



- Lighter, easier and faster than previous models
- Patented Quick-Change Hole Guides
- Four Leveling Vials
- 31% Lighter than other brands
- Easier to cut a straight hole, especially on a ladder
- Perfect for waterflow detectors, mechanical tees and weld-o-lets

ITEM # 3099098



SPRINKLER LASER CENTERING LEVEL

- 24" Aluminum Level is Durable & Easy to use
- Recessed built-in Laser Attachment & 4 leveling vials
- Fast Way Increase your accuracy and productivity
- Perfect for any sprinkler fitter
- Projects vertical laser dot over 40 ft.
- Includes two AAA batteries

ITEM # 3099104A



SPOT-RITE LEVEL WITH BUILT-IN LASER

- 1" Male NPT & 1/2" Threaded Female NPT on one end
- Built-In Laser on other end provides accurate location on ceiling, wall, floor for pipe locating
- 7" long torpedo horizontal and vertical levels with 4 magnets on flat edge
- Comes complete with 3 LR44 Batteries


ITEM # 3099103



NEW MEGA-FLEX FULL-BORE HOSE FLEXIBLE SPRINKLER DROP



- High Performance Flexible Connection
- Full 1" inner flow diameter
- Available in straight and 90° nipple
- Available with preassembled brackets



Model	Item #	NPT
AR-400-BR FLEX-07-050	6531165	1/2"
AR-400-BR FLEX-10-050	6531166	
AR-400-BR FLEX-12-050	6531167	
AR-400-BR FLEX-15-050	6531168	
AR-400-BR FLEX-18-050	6531169	
AR-400-BR FLEX-07-075	6531175	3/4"
AR-400-BR FLEX-10-075	6531176	
AR-400-BR FLEX-12-075	6531177	
AR-400-BR FLEX-15-075	6531178	
AR-400-BR FLEX-18-075	6531179	



ARGCO MEGA-FLEX BRAIDED						
Length	UL DATA			FM DATA		
	EL	Bends	Radius	EL	Bends	Radius
28"	18 ft	4	2"	4.5 ft	1	6.9"
40"	24 ft	5	2"	9.8 ft	3	6.9"
48"	37 ft	8	2"	13.4 ft	3	6.9"
60"	49 ft	10	2"	18.8 ft	3	6.9"
72"	52 ft	12	2"	24.2 ft	4	6.9"
28"	18 ft	4	2"	13.0 ft	1	6.9"
40"	24 ft	5	2"	20.8 ft	3	6.9"
48"	37 ft	8	2"	26.0 ft	3	6.9"
60"	49 ft	10	2"	33.8 ft	3	6.9"
72"	52 ft	12	2"	41.7 ft	4	6.9"

All Brackets are compatible with ARGCO MegaFlex and 3-Bend Hoses



3-BEND BRAIDED FLEXIBLE SPRINKLER DROP

- Save Time & Money
- No cutting, no welding, no threading
- Perfect for retrofit applications
- Easy to move for layout changes
- Most flexible hose in its class.
3 bends 4" minimum radius



TECHNICAL DATA

- Rated Pressure: 203 PSI (14 Bars)
- Maximum Ambient Temperature: 150°F (66°C)
- Designed for use in wet and dry systems
- Flexibility Type: Unlimited
- Hose Diameter: O.D. 1-1/16" / Flow 3/4"

UNBRAIDED HOSE AVAILABLE

Visit ARGCO.com for full Tech Data, options and pricing and availability.

phone: 800.854.1015

ARGCO.com

fax 800.924.5922



FIRE PROTECTION VALVES



UL and FM state Argco meets the specifications for fire sprinkler installations.
Equal Quality and Guaranteed Savings.



GROOVED BUTTERFLY VALVES
(DUCTILE)



GROOVED CHECK VALVES
(DUCTILE)



OS&Y VALVES
(FLANGED)



BUTTERBALL
VALVES (BRASS)



OS&Y VALVES (BRONZE)

PIPE FLANGE GASKETS AND BOLT PACKS



RED RUBBER
GASKETS



NON-ASBESTOS
GASKETS



RED RUBBER
BOLT & GASKET SETS



NON ASBESTOS
BOLT & GASKET SETS

phone: 800.854.1015

argco.com

fax: 800-924-5922

In this freight intensive product line, your volume purchase speaks loudly. If you can stock, you can save! Big Big Savings, call today and find out how much you can save on 10,000 lb. and full truck orders. Mix and match any item from the entire website to fill that truck and your pockets full of money. UL listed and FM approved grooved products that will make a difference in your bottom line.



STANDARD RIGID COUPLINGS



FLEXIBLE COUPLINGS



REDUCING COUPLINGS



90° ELBOWS



45° & 22.5° ELBOWS



TEES



CROSSES



END CAPS



DRAIN CAPS



MECHANICAL TEES GROOVED



MECHANICAL TEES THREADED



U-BOLT MECHANICAL TEES



FLANGE ADAPTERS



FLANGE ADAPTER NIPPLES



CONCENTRIC REDUCERS

**GET THE VERY BEST PRICING
BUY BY THE PALLET OR TRUCKLOAD
CONTACT YOUR SALES REP FOR DETAILS**





PIPE FITTINGS

1981 **40** 2021

THREADED IRON FITTINGS



DUCTILE IRON
FITTINGS



CAST IRON
FITTINGS



MALLEABLE
FITTINGS



PIPE NIPPLES



THREADED
WELD O LETS



GROOVED
WELD O LETS

PIPING CHEMICALS

SUPERDOPE

ANAEROBIC
THREAD SEALANT



Chemically hardens in the absence of air into a tough, structural solid.



SUPERWELD™
ANAEROBIC
WELD SEALANT



**PTFE
TAPE**



INDUSTRIAL (0.4 DENSITY)



HIGH (0.8) DENSITY



PREMIUM (1.0_ DENSITY)



TUF-GLIDE

THREAD SEALANT
WITH PTFE



Pipefitters Report: Tuf-Glide is Easier to apply, easier to pull up on pipe wrench, greatly reduced effort and eliminates leaks. Sticks to hot, oily pipe, drips less, and saves oil, dies and money!

THREADING OIL



TUF-CUT DARK
THREADING OIL

TUF CUT CLEAR
THREADING OIL



FREEZE PROTECTION



PG-38
PROPYLENE
GLYCOL
FACTORY
PRE-MIX



GL-48
GLYCERINE
FACTORY
PRE-MIX

ARGCO.com: Find Technical Data, Catalogs, SDS Sheets & Stock

phone: 800.854.1015

ARGCO.com

fax 800.924.5922



RISER ASSEMBLIES



NEW

COMMERICAL RISERS

ARGCO's Model CR Commercial Riser comes factory assembled with the necessary accessories for a cost effective, yet complete riser assembly.


2", 2-1/2", 3", 4, and 6" sizes

300 psi (20.7 bar) Working Pressure

Includes: UL Listed pressure gauge, a 1/4" three-way valve, and System Sensor or Potter Electric waterflow switch.

Optional:

- Test & Drain Trim with 5.6K Factor
- Pressure Relief Trim with Test & Drain Valve with 175 psi pressure rating



RESIDENTIAL RISERS

Argco's Residential Riser is a wet-pipe sprinkler system riser assembly consisting of a stainless steel body, waterflow switch, pressure gauge, and drain.


•1", 1-1/4", 1-1/2", and 2" sizes.

300 psi (20.7 bar) Working Pressure

Includes: UL Listed pressure gauge, a 1/4" three-way valve, and System Sensor or Potter Electric waterflow switch.

Optional:

- Test & Drain Trim with 5.6K Factor
- Pressure Relief Trim with Test & Drain Valve with 175 psi pressure rating




TEST & DRAIN



- Female NPT Inlet and Outlet
- Forged Brass Body
- Large, integral sight glass on each side
- Brass Finish Ball with Teflon Seats
- 1/2" (nominal) test orifice
- 300 psi

Pressure Relief Trim:

- Designed to relieve excess pressure
- Complies with NFPA 13



ADJUSTABLE PIPE SUPPORTS

Heavy Duty Support for Back Flows, Pipe, Manifolds and FDCs.

- Constructed of 1" schedule 40 pipe with 1" all thread rod and adjustment nut
- Base: 5.5" diameter malleable floor flange base to mount to floor

Sizes:

- 18" to 24"
- 24" to 30"
- 30" to 36"
- 36" to 42"



phone: 800.854.1015

ARGCO.com

fax 800.924.5922

NEW



DRUM DRIP ASSEMBLY

Fully Assembled Threaded Connections



ARGCO DRUM DRIP

(auxiliary drains, low-point drains, condensation collection assemblies) meet and exceed NFPA 13 and NFPA 25 requirements addressing drainage in dry and pre-action sprinkler systems.

Comes fully assembled with UL Listed 1" brass quarter-turn full port 600 psi valves with chrome plated brass balls.

They are easily retro-fitted into existing systems or installed into new systems.

Wrapped in a bright red, vinyl label that increases visibility, provides a consistent appearance, and includes the required NFPA signage with operating instructions that adhere to NFPA guidelines.

Features:

- High Visibility
- Consistent Appearance
- Fully Assembled
- Galvanized or Black Steel Pipe
- High-Quality, Brass, Quarter Turn Ball Valves
- Easy Installation
- Easy Operation
- NFPA Signage

Item Number: 6520380T
Galvanized Pipe

Item Number: 6520381T
Black Pipe


BRASS BALL VALVES



NPT FULL PORT 600#



LEAD FREE BALL VALVES



NPT STANDARD PORT 400#

FIRE PROTECTION TRIM VALVES



GATE VALVES



GLOBE VALVES



ANGLE VALVES



CHECK VALVES



PRESSURE RELIEF



SIGHT GLASSES



3 WAY GAUGE VALVE



HOSE BIBBS &
BOILER DRAINS

phone: 800.854.1015

ARGCO.com

fax 800.924.5922



PIPING TOOLS

1981 **40** 2021

THREADING MACHINES & REPLACEMENT PARTS



ARGCO
THREADING
MACHINE



HIGH SPEED
STEEL DIES




DIE HEAD COMPONENTS



CARRIAGE
ASSEMBLY
COMPONENTS



Diehead Repair Kit
(3302400kit)



Tric Tray
3304401



Power Drive
Repair Kit
(3305100kit)



360 Cutter (1/8" - 2")
(42370) 3302300



Cutter Wheel HD
(33105) 3302306
Cutter Wheel Std.
(44185) 3302306A



Transporter
3304403



Carriage Lever Kit
(42385) 3302100A



Carriage Collar
Assembly
(46215) 3302107



Reamer
(42365) 3302200



Oiler Unit Complete
(10883) 3303200



Oil Gun with Hose
(72327) 3303201



Tuf-Cut Threading Oil
dark: 1010043
clear: 1010047



300 Motor
(87740) 3301000-motor



Motor Armature
(44010) 3304225



Motor Brush Set
(44540) 3304222



Switch
(44505) 3303311



Foot Switch
Hardwired
(36642) 3303314



Power Cord
with plug
(46740) 3303305



Jaw Insert Set
(44715) 3304127



Rear Centering
Assembly
(44165) 3304108



Support Arm
(44425) 3304134



Retaining Ring
(44725) 3304133

RIDGID® is a registered trademark of RIDGID®, Inc. ARGCO is not an authorized distributor of RIDGID® products

PARTS 56% OFF RIDGID® LIST PRICE - VISIT ARGCO.com For Complete Line

phone: 800.854.1015

ARGCO.com


fax 800.924.5922



PIPING TOOLS

1981 **40** 2021

OUTSTANDING JAWS



Power Roll Cut 2-1/2" to 6" Pipe
with your Ridgid 300® Machine.
Fastest & Easiest way to Cut
Large diameter pipe.



- Fits over existing chuck jaws and expand outward on the inside the wall of the pipe
- Power drive turns the pipe, making roll cutting easy.
- Works on all pipe wall thicknesses
- Includes plastic case with spring clips to attach to stand.

ITEM # 3304405

RIDGID® is a registered trademark of RIDGID®, Inc.



PIPE STANDS & VISES



**TRI-POD
CHAIN VISES**



**TriPod
Repair Kit**



V-HEAD



ROLLER HEAD



FOLDING STANDS



BENCH VISES

ALUMINUM PIPE WRENCHES



WRENCH PARTS

WRENCH PARTS:
Repair Kits
Hook Jaw
Heel Assembly
Nut
Spring Assembly
for all sizes

PIPE CUTTING TOOLS



**HAND PIPE
CUTTERS**



**CUTTER
WHEELS**



HOLE SAWS



CUTTING BLADES

MISC PIPE WORKING TOOLS



HYDROSTATIC TEST PUMPS



MECHANICAL BENDERS

LOG ON TO ARGCO.COM FOR DISCOUNT PRICING ON FULL LINE OF ITEMS

phone: 800.854.1015

ARGCO.com

fax 800.924.5922

DUAL VAC FIRE SPRINKLER VACUUM



A new approach to the old problem of removing water left in a piping system after draining. Repairs and modifications become much easier.

Combines the benefits of a wet/dry vacuum and a submersible pump.

Runs unattended so you can spend time making money, not cleaning up water.

Now made of Stainless Steel

ITEM # 3099185

DROPMASTER® DM12 FIRE SPRINKLER VACUUM



Replace sprinkler heads without using buckets & tarps.

- 10 gallon holding tank
- 20 ft non-collapsible suction and discharge hose.
- Anti-flood device.
- 38 gpm automatic internal pump for draining holding tank.
- Tamper proof calibrated automatic 3/4" relief valve.
- Mounted on a portable cart with wheels.

ITEM # 3099182

PIPE HORSES Adjustable Pipe Platforms



- Supports up to 10 feet of pipe on two horses
- Made of heavy duty schedule 80 pipe
- Brackets and bolts provided, you just supply 1-1/2" schedule 40 pipe

The "Pipe Horse" adjustable pipe platforms allow you to work with materials at waist height, increasing production & reducing fatigue.

ITEM # 3305300

OFFSET ADJUSTABLE WRENCH



Perfect for Large Exposed Sprinkler Heads

Don't Bust your Knuckles removing nuts, bolts or sprinkler heads in tight spaces.

NEW Triple-Cylinder Scroll Provides added Strength to Jaws

ITEM # 3099188

- Offset Design makes it easy to reach tight spots
- 5/8" to 1-1/4" capacity

UNIVERSAL SPRINKLER HEAD WRENCH



Adjustable Sprinkler Head Wrench For Light Hazard Recessed, Pendant, Horizontal Sidewall and Upright Fire Sprinklers

ITEM # 3099189

UNIVERSAL SOCKET HEAD



Fits 1/2" socket

ITEM # 3099189S

BEAM CLAMP RATCHET WRENCH

Fits 3/8" & 5/16" square head set screws -- used with beam clamps, c-clamps and purlin clamps.

ITEM # 3035106

THREADED ROD CHASER

Quickly chase damaged threads after cutting threaded rod with a saw or bolt cutter

3/8" & 1/2" sizes available

ITEM # 3099113



ON CENTER PUNCH

Magnetic center punch and level combination accurately locates position of holes to be drilled into pipe.

- Prevents drill bit from "walking" on curved surface of pipe
- Two vials for horizontal or vertical leveling
- 1" to 10" pipe capacity



ITEM # 3099106

SHUTGUN SPRINKLER SHUTOFF TOOLS



Universal Sprinkler Stop for pendant and upright sprinkler heads.

ITEM # 3099181

Incorporates a fusible link that will release if fire rekindles. One hand activation makes it safe and easy to use.



SPRINKLER STOP

Universal sprinkler stopper device, stops water damage caused by an open sprinkler head without shutting down the entire system. Simply push rubber stop into opening of sprinkler head and turn handle until water flow stops. Beveled rubber stopper completely stops water flow from sprinkler head orifice.

ITEM # 3099180





FIRE SPRINKLER ACCESSORIES



ARGCO saves contractors money on quality products that meet the demanding specifications required for fire sprinkler installations. Download submittals from our website and put them on your engineer's desk. Now more than ever you owe it to yourself to try, switch and take care of your own bottom line.



FIRE ALARMS



FLOW SWITCHES



GAUGES

4" x 1/4" IPS
300 psi
Plastic or Steel Back



PERSONALIZED GAUGES

Advertise for **FREE** with your company logo phone number & website



HEAD GUARDS



SPARE HEAD BOXES



SPRINKLER PROTECTORS



HEAD BOX WRENCH



IDENTIFICATION SIGNS, DECALS AND INSPECTION TAGS

PERSONALIZED SIGNS

Argco's Art Department will customize your aluminum signs, decals and Inspection Tags with your company info!

TRIM PRO ESCUTCHEON INSTALLATION TOOL

Install or remove escutcheon skirts easily with magnetic head that holds both pendent & recessed escutcheons. Includes a 3 ft to 6 ft telescoping extension pole.



FIRE EQUIPMENT



FIRE DEPT. CONNECTIONS



FDC ACCESSORIES



SPRING CHECK VALVES



STORZ CONNECTIONS



HOSE VALVES



FIRE HOSE & ACCESSORIES



ADAPTERS



HOSE CAPS

LOG ON TO ARGCO.COM FOR DISCOUNT PRICING ON FULL LINE OF ITEMS

phone: 800.854.1015

ARGCO.com

fax 800.924.5922



FIRE SPRINKLER ESCUTCHEONS



ARGCO offers the largest selection of Escutcheon Sizes, Finishes, Styles & Materials



STEEL ESCUTCHEONS



**CORROSION RESISTANT
PLASTIC ESCUTCHEONS**



REPLACEMENT ESCUTCHEONS

ALUMINUM/STAINLESS STEEL ESCUTCHEONS




**HAND-SPUN CUSTOM MADE STAINLESS
STEEL & ALUMINUM ESCUTCHEONS.
POLISHED OR POWDER-COATED
TO ANY
COLOR IN
THE
SPECTRUM.**


- 1100 040
Aluminum
- 304L 18 gauge
Stainless Steel



WALL PLATES



**HEAVY GAUGE
STEEL**



**CORROSION RESISTANT
PLASTIC**



**GALVANIZED
CAST IRON**



**CAST
BRASS**



**CHROME PLATED
CAST BRASS**



**ALUMINUM &
STAINLESS STEEL**

ARGCO.com: Find Technical Data, Catalogs, SDS Sheets & Stock

phone: 800.854.1015

ARGCO.com

fax 800.924.5922



PIPE HANGERS & SEISMIC



STEEL PIPE HANGERS



CPVC PIPE HANGERS



SEISMIC SWAY BRACING



THREADED ROD FASTENERS



STRUCTURAL ATTACHMENTS



STRUT CLAMPS
& ACCESSORIES

CPVC FITTINGS

FULL LINE OF CPVC FITTINGS & ONE-STEP CEMENT MADE IN THE USA.
Including threaded brass adapters. FM Approved and UL Listed up to 1"



ARGCO WAREHOUSES

45,000 SQUARE FEET IN RHODE ISLAND

48,000 IN ARKANSAS

25,000 IN SOUTHERN CALIFORNIA



The Competitive Brand Contractors
rely on when Savings is Important

phone: 800.854.1015

ARGCO.com

fax 800.924.5922

WHY ARGCO?

Since 1981, ARGCO has been saving contractors significant money on quality products they use every day.



Argco Factory-Direct Pricing:

Volume Structured Savings from case through pallet quantity to Factory-Direct Container pricing.



Service Commitment:

Place your full box order by 9:30 am and in-stock items will go out that Same Day.
Click here to see if you are within One-Day Shipping




Guaranteed Quality:

We stand behind our own brand, our own product.
Same UL and FM listings and certifications as our competitors.
100% "No Questions Asked" Return Policy.



Inventory:

West Coast , East Coast and Midwest Warehouses.
One or Two day delivery to most locations in the U.S.



Innovative Products:

Argco's investment in engineering is developing new time-saving tools.



Benefits of Online Buying:

Place your orders 24 hours a day, with your contractor discount.
•Check our \$8 million live in-stock levels, online.
•Complete anonymity. You don't have to deal with a sales rep if you prefer.



Free Samples:

Check out our quality first.
Call for free samples before you buy.



Customer Retreats:

San Diego California, Keystone Ski Resort Colorado & Orlando Disney World Florida.
Call your sales rep for details



Industry Support:

We are proud active members of the AFSA, NFSA , NFPA & SFPE

ARGCO.com

ARGCO SALES: toll free: 800-854-1015 | international: 760-727-1644 | fax: 800-924-5922 | email: sales@argco.com



ARGCO.com

ARGCO SALES: toll free: 800-854-1015 | international: 760-727-1644 | fax: 800-924-5922 | email: sales@argco.com